

SUBJECT INDEX

- Abrasion 147–152
- Absolute dating of terrains and formations 8–21
- Accommodation zone 363
- Accumulation zone 254–302
- Acraman 186
- Active continental margin 42
 - crustal spreading 396–405
- Aditi Dorsa 424–467
- Advective heat 526–529
- ADW 83–97
- Aeolian process 18, 19, 127–152, 175–189
 - transport 127–152
- Agpaitic nepheline syenite 14, 15
- Ahsonnutli Dorsa 424–467, 482–490
- Airfall deposit 243
- Airy isostasy 25–52, 233, 241, 243, 345–385
- Akkuriva Colles 493–529
- Akna 44, 96, 110–113, 193–246, 273–302, 391–405
- Alaskite granite 14, 15
- Alba Patera 211
- Albedo 176, 177
 - pattern 152
 - strip 101–123
- Albite 335–339
- Alkali basalt 58, 59, 72–74, 333–339
 - gabbroid 333–339
 - gabbros 329–339
 - olivine basalt 14, 15, 61
 - picrite 61
- Allat Dorsa 509–529
- Alpha Regio 42, 47, 88, 131–152, 320–326
- Altimetric data 348–385
- Altimetry 127–152, 343–385, 391–405
- Alumina basalt 66
- Amphibole-dolomite bearing peridotite 64
- Amphibole peridotite 63
- Anahit Corona 411–419
- Ananke 110–113
 - Tessera 509–529
- Anastomosing ridge 421–467
- Andesite 14, 15, 66, 67, 71, 74, 333–339
- Angular momentum 563
 - parameter 561
- Anhydrite 137, 149
 - formation 127–152
- Annulus 200–246, 269–302, 315, 410–419, 422–467
- Anorthite 335–339
- Anorthositic norite 338, 339
- ANT suite of lunar terrae 13
- Anticline-syncline pair 275–302
- Antiroot 88
- Any 534–535
- Anydrous basaltic crust 55–76
- Anydrous material 233
- Aphrodite Terra 32, 42, 46–48, 87, 93, 97, 101–123, 113–116, 131–152, 164, 300, 301, 307–326, 395–405, 483–490
- Api Mons 105, 411–419
- Arachnoid 101–123, 392–405, 493–529
- Aranyani Chasma 269–302
- Arc shoshonitic association 330–339
- Arcuate region 321–326
 - ridge 448–467
 - scarp 394–405
 - tessera 260–302
 - thrust 258–302
- Areal compression 105–123
 - distribution 409–419
 - volcanism 105–123
- Arecibo Observatory 116, 175–189, 198–246, 305–326, 343–385, 395–405, 496–529, 533–537
 - radiotelescope 129–152
- Arsia Mons 212
- Artemis Chasma 113–116, 345, 362
- Ascræus Mons 212
- Assemblage 394–405
- Asteria Regio 315–326
- Asthenosphere 81–97, 118–123, 129–152, 239–246
 - drag 404
 - flow 198, 251–302
- Asymmetrical ridge, belt/plain 464–467
 - belt/tessera 464–467
- Atalanta Planitia 129–152, 315–326, 394–405, 424–467, 480–490, 504–529
- Atira Mons 105, 411–419, 486–490
- Atla Regio 25, 42, 47, 49, 97, 101–123, 311–326, 345–385
- Atmosphere 137, 138
- Atmospheric action 133
 - weathering 351
- Atropos 110–113, 391–405
- Attitude control system 559–578
- Audra Planitia 269–302
- Augen-shaped plain 421–467

- Aureole 505-529
 Ausra Dorsa 270-302, 421-467
 Averaged measurement 560-578
- Ba'het Corona 411-419
 Bachue Corona 411-419
 Barchan dune 152
 Basal altitude 409-419
 diameter 493-529
 melting 37-52, 193-246
 of lunar maria 13
 topographic platform 493-529
 topographic rise 507-529
 Basalt-eclogite transition 28, 59
 liquidus 37-52
 petrogenesis 61
 Basaltic andesite 66, 67, 74, 333-339
 crust 13, 64
 komatiite 61, 73
 lava 18
 magma 29-52
 plume 88
 shield volcano 519-529
 style volcanism 244
 Basanite 63, 74
 Bedform 142-152
 Bedrock 127-152, 235
 Bell Regio 114-116, 309-326, 394-405
 Bereghinya Planitia 118-123, 400-405, 509-529
 Beta Regio 25, 42, 47, 49, 76, 87, 88, 93, 96, 97,
 114-116, 129-152, 194-246, 257-302,
 307-326, 346-385, 394-405, 456-467,
 493-529
 Bezlea Dorsa 311-326, 424-467
 Bimodal hypsometric curve 40-52
 hypsometry 129-152
 Binning 500-529
 Biotite granite 14, 15
 Blocky surface 127-152
 Boninite 73
 Braid 441-467
 Bright component 305-326
 halo 235
 ring crater 136
 unit 350-326
 Broad arch 431-467
 idge 421-467
 Buckling 275-302, 458-467
- Calc-alkaline 330-339
 silicic volcanism 72, 75
 Calcite 137
 Caldera 493-529
 formation 105
 Carapace 207
 Carbonate 137
 basaltic crust 55-76
 solidus 63
 Carbonation reaction 67
 Carbonatite melt 64
 Cartesian coordinate 561
 Cassat Corona 411-419
 Central Fortuna Syntaxis 284-302
 Tessera 251-302
 Centralized effusive volcanism 193-246
 Character and intensity of exogenetic process 18
 Chasma 261-302, 343-385, 542-557
 Chemical weathering 18, 19, 175-189
 Chevron tessera 270-302
 Cleopatra Patera 186
 Clinopyroxene 66
 Clotho 110-113, 391-405
 Tessera 504-529
 Coatlicue Corona 411-419
 Cold spot 106
 Colette 193-246, 400-405
 Caldera 412-419
 Collis 542-557
 Collision 240, 251-302
 Comminuted debris 147-152
 Component description 431-467
 Compression 258-302, 421-467, 471-490
 Compressional deformation 44, 46, 49, 51, 223,
 239-246, 397-405
 extensional stress 91-97
 origin 251-302
 tectonics 198-246
 thickening 397-405
 zone 105
 Concave summit 502-529
 Conductive geotherm 37-52, 69
 heat loss 48
 Conductivity of surface material 533-537
 Cone 409-419
 Continental crust 329-339
 Convection cell 129, 487-490
 Convective upwelling 380
 Convergence 198-246, 251-302, 397-405
 crustal thickening and 58-76
 zone 51
 Convergent boundary 75
 margin 70-76
 plate boundary 71-76
 margin 38
 Cooling rate 523-529
 Corona 95, 101-123, 305-326, 394-405,
 409-419, 493-529, 542-557
 precursor 418
 Cotton 534, 535
 Crater 542-557
 density 401-405
 relaxation 135-152

- retention age 162-172
- scenario 185-188
- Crest volcanism 257-302
- Cross-strike discontinuity 357-385
 - lineament 421-467
- Crust cracking 471-490
 - lithosphere 60
 - mantle boundary 81-97
- Crustal block 403-405
 - column 70-76
 - creation 365-385
 - density 81-97
 - anomaly 345-385
 - flow 251-302
 - formation 57-76
 - fracturing 471-490
 - generation 36
 - imbrication 38, 44
 - process 25-52
 - production 343-385
 - recycling 25-52, 74
 - spreading 34, 57-76, 322-326, 343-385, 393-405, 525-529
 - thickening 34-52, 198-246, 251-302
 - thickness 81-97, 518-529
 - variation 25-52
 - underplating 238-246
- Cytherean Moho 82-97
- Dacite 71
- Dacitic melt 68
- Dali Chasma 311-326, 345-385
- Danu 110-113, 193-246, 391-405, 421-467
- Dark component 305-326
 - halo plain 305-326
 - ridge 236
 - unit 305-326
- Daura Chasma 271-302
- Deformation 393-405, 421-467, 475-490
- Dehydration 55-76
- Dekla 108-113, 391-405
- Delamination 38, 39, 60-76
- Demeter Corona 411-419
- Dennitsa Dorsa 448-467, 480-490
- Density inversion 38, 39
- Depression 211-246
- Derivation of primary magma 57-76
- Derivative magma 59
- Deuteric alteration 351
- Devana Chasma 239, 311-326, 440-467
- Diameter-frequency distribution 162-172
- Diana Chasma 345-385
- Diapir 461-467
 - method 118-123
 - plain 102-123
 - uplift 472-490
- Diapirism 394-405
- Diffuse halo 193-246
- Dike in dike 472-490
- Diorite 332-339
- Discontinuous ridge 421-467
- Disk 409-419
- Disrupted terrain 232
- Distortion 493-529
- Distributed effusive volcanism 193-246
- Distribution deformation 47, 48
- Divergent boundary 343-385
 - plate 526-529
- Dolomite 62, 63
- Domal rise 47, 392-405
 - uplift 392-405
- Dome 193-246, 409-419, 472-490
 - cluster 508-529
 - concentration 508-529
 - group 508-529
- Dome-like hill 494-529
 - uplift 101-123
- Dome-rise 95
- Doming 257-302
- Doppler measurement 566-578
- Dorsum 542-557
- Drag force 162
- Ductile compression 107
 - deformation 38
 - thickening 39, 44
- Dunite 14, 15
- Dyan-Mu Dorsa 271-302
- Dynamic upwelling 198
- Earhart Corona 411-419
- Earth 3-21
- Eastern Aphrodite Terra 46, 47, 343-385
 - Fortuna Tessera 251-302
 - Ishtar Terra 42, 44, 45, 251-302
- Eclogite 38, 66, 67, 69, 71, 72
 - facies 66
- Edifice 349-385, 409-419, 513-529
- Effusive shield volcano 523-529
- Eisila Regio 257-302, 309-326, 346-385
- Eistla Regio 113-116, 402-405
- Ejecta 533-537
 - blanket 8
 - deposit 133-152
 - fragment 175-189
- Elastic lithosphere 243, 245, 350-385
- Elevation 237-246, 518-529
- Endogenetic activity of Venus 3-21
- Endogenic activity 121
 - process 137, 175-189
- Ephemeris time 561
- Equatorial Highlands 46-49, 51, 343-385
 - region 305-326

- Euler's theorem 375
- Eutectics of source rock 20
- Excavation volume 175-189
- Exogenetic process 3, 19, 20
- Exogenic process 137, 175-189, 235
- Exponential function 498-529
- Exsolution 211, 234
- Extension 398-405, 421-467, 471-490
- Extensional deformation 49, 51, 376
 - origin 46
 - stress 93-97
 - tectonic environment 347
 - tectonics 518-529
 - tensional zone 105
- External gravitation field 81-97
- Extrusion 33, 35, 36, 46, 50, 68, 70, 461-467
- Extrusive eruption 381
 - flow 522-529
- Fakohotu Corona 411-419
- Fan 424-467, 481-490
- Fault 392-405
 - scarp 200-246, 349-385
- Feldspar 13, 335-339
 - rich crust 107
- Feldspathic crust 419
- Felsic component 13
- Felsic crust 72, 76
 - material 14
- Fernandes 534
- Feronia Corona 411-419
- Ferric oxide 133
- Ferrobasalt 66, 67, 68, 71, 72, 74, 75, 233, 522-529
- Fissure 472-490
- Flank characteristics 502-529
- Flexure 400-405, 481-490
- Fluctus 542-557
- Flux 142-152
- Fold belt 105, 251-302
- Fold/thrust belt 256-302
- Folding 471-490
- Foredeeps 457-467
- Formation of anhydrite 18
 - of magnetite 18
- Fortuna Tessera 44, 45, 48, 96, 108-113, 241, 242, 391-405, 419, 424-467, 487-490
- Fossa 542-557
- Fracture zone 343-385
- Fresnel reflection coefficient 129-152, 495-529, 534-537
- Freyja Montes 44, 96, 110-113, 131-152, 193-246, 273-302, 391-405, 421-467
- Gabbro 66, 69
- Gamma-ray spectroscopy 58
- Ganiki Planitia 398-405, 509-529
- Ganis Chasma 311-326, 363
- Garnet granulite facies 66
- Gas exsolution 68
- Gaussian 8-21
- Geochemical bicomponent crust 13
 - data 329-339
 - type of crust material 3, 13-21
- Geodynamics 81-97
- Geologic unit 392-405
- Geologic/tectonic setting 329-339
- Geologic/morphologic unit 391-405
- Geosyncline basalt 14, 15
- Ghost crater 135
- Gilbert distribution of impact angle 166
- Global sediment budget 175-189
- Goldstone Observatory 305-326, 496-529, 533-537
 - radiotelescope 129-152
- Golubkina 534
- Graben 107, 118-123, 208, 221, 231, 257-302, 322-326, 363, 381, 438-467, 472-490
- Granite 332-339
 - crust material 13
 - granitogneiss 14, 15
- Granodiorite 332-339
- Granulite 38, 66, 69
- Gravitational condenser 86
 - downslope movement 18, 19
 - relaxation 256-302, 393-405, 412-419
- Gravity anomaly 321-326, 526-529
 - constant 563
 - sliding 47, 393-405
 - spreading 251-302
- Green's function 84, 85-97
- Greenhouse effect 121
- Greenstone belt 76
- Grid 363-385
- Groove 193-246, 393-405, 423-467
- Grooved plains 226-246
- Ground trajectory measurement 560-578
- GS analysis 329-339
- Guinevere Planitia 87, 131-152, 244, 311-326, 395-405, 493-529
- Gula Mons 211, 311-326, 349
- Hagfors law 160, 495-529
- Halo 506-529, 533-537
- Hathor Mons 211
- Heat flow 49, 52, 164, 493-529
 - pipe mechanism 33, 35
 - transport 518-529
- Hecate Chasma 116, 311-326, 363
- Heng-o Chasma 315-326
- Hestia Rupes 115-116
- High resolution image 391-405

- High-potassic alkaline basalt 329-339
 High-Ti and high-K mare basalt 14, 15
 Highland 316-326
 Hina Chasma 261-302
 Horizontal compression 47, 256-302
 convergence 38, 39, 240, 251-302
 or lateral crustal growth 28-52
 Hot mantle plume 82-97
 Hot spot 4, 33-36, 44, 47, 48, 57-76, 323-326,
 379, 393-405, 409-419, 524-529
 effect 29-52
 Hot upwelling plume 86
 Hummocky plain 102-123, 513-529
 Hydrate basaltic crust 55-76
 Hypsogram 16, 17, 39
 Hypsometric curve 14, 15, 25-52, 129-152
- Igneous rock 332-339
 Ilmenite 151
 Imagery geometry 159-172
 Imbrication 240, 251-302, 404, 458-467,
 471-490
 Impact crater 19, 127-152, 159-172, 175-189,
 392-405, 533-537
 statistics 499-529
 creep 139-152
 derived sediment 175-189
 flux 127-152, 178-189
 Incidence angle 159-172, 305-326, 523-527
 Indira 534
 Innini Mons 211
 Inter-highland tectonic zone 305-326
 Intermediate alkaline 332-339
 sized hill 513-529
 unit 305-326
 Intersecting ridge 251-302
 Intra-crustal diapirism 105
 Intrusion 33, 35, 36, 46, 50, 51, 68, 70, 384
 Iris Dorsa 448-467
 Iron-wustite buffer 64
 Ishtar Terra 38, 40, 43, 46-49, 64, 66, 87, 88, 93,
 96, 97, 101-123, 108-113, 129-152,
 193-246, 394-405, 414-419, 483-490,
 512-529
 Island arc 70-76
 Isostatic effect 34
 elevation 39
 equilibrium 96
 topography 40
 Itzpalatl 110-113, 276-302, 391-405
 Ivka 534
- Julian date 561
- K-U-Th concentration 329-339
 systematics 13
- K-U systematics 15
 Kamari Dorsa 421-467, 487-490
 Kara-Ust Kara 186
 Keplerian equation 565
 Kimberlite 63, 64, 74
 Kinematic parameter 565-578
 Klenova crater 179, 186, 187
 Komatiite 60, 74, 75
 KREEP component 13
 Kurukulla Mons 411-419
 Kutue Tessera 110-113, 314-326, 509-529
- La Fayette 534, 535
 Lachesis Tessera 510-529
 Lada Terra 88, 93, 97
 Lagrange form 562
 Laima 107-123, 391-405, 419
 Regio 42
 Tessera 241, 242, 251-302, 424-467, 487-490
 Lakshmi Planum 44, 96, 101-123, 131-152, 172,
 193-246, 251-302, 392-405, 412-419,
 421-467, 478-490
 Laplace plane 561
 Laplace vector component 561
 Lasdona Chasma 269-302
 Lateral crustal evolution 395-405
 deformation 513-529
 Lauma Dorsa 398-405, 424-467, 477-490
 Lava rheology 207
 Leda Planitia 400-405
 Leucititic 330-339
 Light pressure 560-578
 Lind 534
 Linea 542-557
 Lineament 284-302, 473-490
 Linear discontinuity 343-385
 orogenic belt 49
 tectonic dislocation 480-490
 trend 353-385
 Liquid water 19
 Liquidus 60-76
 Lise Meitner 186
 Lithosphere 137, 138
 Lithospheric delamination 238-246
 thickness variation 27-52
 Lobate flow 200-246, 258-302, 513-529
 pattern 311-326
 LOS gravity 347-385
 Loukha Planitia 504-529
 Low shield volcano 493-529
 Lowland 316-326
 Ludmilla 222
 Lukelong Dorsa 421-467, 479-490
 Lunar granite 14, 15
 maria 28-52, 75
 regolith 175

- Maat Mons 323-326, 345, 351
 Mafic group 312, 329-339
 Magda 222
 Magellan 175-189, 208-246, 251-302, 329-339,
 402-405
 imagery 4-21
 mission 3, 101-123, 419, 421-467, 471-490,
 493-529, 541-558, 559-578
 space probe 159-172
 spacecraft 3, 129-152
 Magma chamber drainage 243, 245
 intrusion 471-490
 ocean 74, 76
 source 209
 Magmatic accretion 102
 differentiation 58-76
 Magnesite 62, 63
 bearing peridotite 74
 Major shield 409-419
 Manicouagan 186
 Mann-Whitney criterion 413-419
 Mantle convection 82-97, 121, 526-529
 derived magma 330-339
 downwelling 240
 flow 107, 239
 hot spot 101-123
 isotherm 60
 plume 48, 57-76, 238, 286-302
 temperature 343-385
 thermal anomaly 323-326
 upwelling 256-302, 343-385
 wedge 55-76
 Manto Fossae 269-302
 Mare basalt with Ti and K 14, 15
 Margit 534
 Mars 13, 119-123, 139-152, 175-189, 195, 231,
 421-467, 475-490, 494-529
 Mars-5 data 14
 Mascon 106, 339
 Maslenitsa Corona 411-419
 Massmin 339
 Matic alkaline 333-339
 Maxwell Montes 44, 96, 110-113, 129-152,
 193-246, 251-302, 391-405, 453-467,
 483-490
 Mechanical abrasion 175-189
 lithosphere 59
 Mechanism of lithospheric heat transfer 26
 Melasyenite 334-339
 Melia Mons 105, 411-419
 Melt product 33
 Melting of crustal material 38, 57-76
 of differentiate 58-76
 of mantle material 58-76
 or density inversion 37
 Meni 108, 391-405
 Mercury 13, 421-467, 475-490
 Meshkenet Tessera 108-113, 270-302, 500-529
 Meteoroid 162
 Methane 72
 Metis Regio 114-116, 397-405, 480-490
 Metis-Bell uplift 105
 Meymechite ijolite 14, 15
 Miaskite nepheline syenite 14, 15
 Microdune 145-152
 Mirror effect 160
 Missing crater 185
 crust 26-52
 Mnemosyne Regio 413-419
 Moho amplitude 88-97
 boundary 86-97
 calculation 96
 deviation 86-97
 interface 86-97
 level 86-97
 relief 81-97
 undulation 88-97
 Moira Tessera 258-302
 Mokosha Montes 411-419, 486-490
 Monica 534
 Mons 542-557
 Moon 421-467, 475-490
 Morana Chasma 261-302
 Morphology 353-385
 Morphostratigraphic unit 234
 Mottled bright unit 305-326
 dark unit 305-326
 plains unit 493-529
 Mountain belt 392-405
 Multiring impact crater 186-189
 Multitessera 107
 Narrow-spaced ridge 441-467
 Natural convection 523-529
 Nearest neighbor technique 412-419
 Nefertiti 315-326
 Corona 411-419
 Negative buoyancy 50
 density anomaly 85
 diapirism 38, 243, 245
 Nephela Dorsa 421-467
 Nepheline normative alkali olivine basalt 62
 normative basaltic melt 64
 normative melt 61, 62
 syenite 332-339
 Newton's generalized tangent 567
 Newtonian rheology 280
 Neyterkob Corona 411-419
 Nightingale Corona 115-116, 411-419
 Niobe Planitia 493-529
 Nomenclature 541-558
 Non-basaltic volcanic activity 18

- Normal tessera region 269-302
 Normative olivine 61
 Northern Fortuna Tessera 251-302

 Oblateness of Venus gravity 559-578
 Offset 356-385
 Olivine melilitite 64
 Olivine gabbro-norite 351
 normative melt 62
 rich basaltic rock 351
 tholeiite 61, 62, 73
 basalt 74
 Olympus Mons 212, 243
 Onatah Corona 411-419
 Ops Corona 411-419
 Orbit determination 559-578
 Orogenic belt 39, 44-52, 58-76, 193-246,
 254-302, 394-405, 448-467, 471-490,
 518-529
 Orthoclase 335-339
 Osculating element of satellite orbit 559-578
 Ottau Corona 411-419
 Ovda Regio 25, 34, 46, 47, 49, 93, 96, 97,
 114-116, 320-326, 346
 Ovoid 392-405
 Oxidation of olivine 18
 Oxide composition 329-339
 Oza Mons 311-326, 345

 Paired ridge 421-467
 Pandrosa 424-467
 Dorsa 421-467, 476-490
 Parallel ridge 431-467
 Parga belt 116
 Chasma 311-326
 Parquet 256-302, 422-467
 or tessera terrain 133
 Particle speed 142-152
 Passive continental margin 42
 deformation 396-405
 Patera 193-246, 542-557
 Pavlova 324, 325
 Peridotite 63, 67, 71, 73, 74
 mantle 59-76
 Peridotitic komatiite 61
 Peripheral deformation 48
 Permittivity 127-152
 Perturbation function 563
 Petrogenesis 57-76
 Phobos-2 data 14
 Phoebe Regio 42, 93, 131-152, 311-326
 Phonolite 71, 72
 Physiographic province 305-326
 Picrite 62, 72
 Picritic basalt 75, 351
 Pillow lava 523-529

 Pioneer-Venus 127-152, 198-246, 254-302,
 305-326, 347-385, 391-405, 424-467,
 505-529, 559-578
 mission 541-558
 spacecraft 57-76, 81-97
 Plagioclase 18
 Plain 101-123
 Plains assemblage 391-405, 422-467, 511-529
 unit 221-246
 volcanism 57-76, 101-123
 Plains-corona assemblage 391-405, 428-467,
 511-529
 Plains-corona-tessera assemblage 391-405,
 428-467, 511-529
 Plains-ridge belt assemblage 391-405
 Planation effect 40
 Planetary crust 75
 radius 41-52
 Planform 498-529
 Planitia 542-557
 Planum 542-557
 Plastic shortening and thickening 281-302
 Plate tectonic process 4, 8, 33, 40
 Platelet 287-302
 Plume 257-302, 323-326, 379, 401-405
 decay 48
 head 73-76
 plateau 48-52, 286-302
 Poisson distribution 412-419
 Polygonal outline 244
 Pomona Corona 411-419
 Popigai 186, 188
 Positive gravity anomaly 85
 Potassic basalt 329-339
 Potassium 13, 351
 Power law function 498-529
 Prairie meteor network 166
 Primary crust 28-52, 75
 liquid 60
 magma 59, 68, 74
 melt 58
 Pristine highland rock, Mg-series 14, 15
 Progressive stage 409-419
 Projectile deformation 165
 Pyrite 151
 Pyroclastic deposit 211, 214
 eruption 68
 volcanism 193-246, 523-529
 Pyroclite 62, 63
 Pyroxene 335-339

 Quartz monzodiorite 334-339
 monzonite 334-339
 tholeiite 61, 74

 Radar backscatter 493-529

- bright crater 533-537
 - feature 393-405
 - surface 493-529
- brightness 305-326
- dark feature 393-405
- image 305-326
 - data 348-385
- mapping satellite 559-578
- unit 305-326
- Radar-bright ejecta deposit 235
 - halo 175-189
 - halo 127-152
 - lineament 349-385
- Radarclinometry 502-529
- Radial compression 240
 - velocity 568-578
- Rananeida Corona 411-419
- Rangrid Fossae 218, 232, 237
- Recycling 329-339
- Reflectivity 305-326, 431-467, 495-529
- Regio 542-557
- Region zero's topography 95
- Regional structure 353-385
- Regressive stage 409-419
- Relative stratigraphy 8
- Relief 129, 260-302, 314-326
- Remobilization of crustal material 38
- Renpet Montes 105, 411-419, 486-490
- Resurfacing 127-152, 175-189, 235, 240-246,
 - 412-419, 513-529
 - rate 25-52
- Rhea Mons 257-302, 322-326
- Rheological characteristic 27
- Rhombic cell 483-490
- Rhomboidal perimeter 227
- Rhyolite 71
- Ridge 193-246, 393-405
 - belt 95, 101-123, 254-302, 315-326,
 - 391-405, 421-467, 471-490, 494-529
 - age 428-467
 - characteristics 431-467
 - classification 429-467
 - distribution 423-467
 - fan 483-490
 - origin 471-490
 - plains fan assemblage 424-467
 - tessera assemblage 423-467
 - trough 464-467
- crest 343-385
- length 33
- Ridge-and-band plain 133
- Ridge-and-trough form 343-385
- Ridged terrain 193-246
- Rift 423-467
 - depression 102-123
 - zone 60, 95
- Rift-like central chasma 343-385
- Rifting 47, 251-302
- Rim crest diameter 175-189
- Ring grabens 106
- Rita 222
- RMS slope 305-326
 - and reflectivity mapping 347-385, 507-529
- Robot technique of isotopic absolute dating 13
- Rolling plain 139-152, 316-326, 339
- Rose diagram 231
- Rotation force 8
- Rudneva 534, 535
- Runi Corona 411-419
- Rupes 542-557
- Rusalka Planitia 345, 351, 357
- Ruslanova 534
- Sacajawea 193-246, 400-405
 - Caldera 412-419
- Saltation 138-152
- Sapas Mons 345
- Sappho Mons 211, 212, 315-326, 349
- SAR imaging 347-385, 495-529
- Scarp 251-302, 321-326
- Scattering 305-326
- Sea-floor spreading 47
- Secondary crust 28-52, 75
- Sediment accumulation 175-189
- Sedimentary cycle 175-189
- Sedna 244
- Sedna Planitia 87, 504-529
- Sekmet Montes 409-419, 486-490
- Sel-Anya Dorsa 271-302
- Semuni Dorsa 261-302, 424-467
- Sequential crustal imbrication 277-302
- Shear 421-467
 - deformation 251-302
- Shield 193-246
 - volcano 102-123, 193-246
- Shielding effect 160-172, 178-189
- Shift 356-385
- Shimti 110-113
 - Tessera 311-326, 509-529
- Shoshonite 13, 332-339
- Sialic composition 39
 - crust 40
- Siddons 222
- Sif Mons 211, 257-302, 311-326
- Silica-rich magma 75
- Silicate melt 60-76
- Silicic calc-alkaline 332-339
 - magma 66
- Simatic crust 39
- Slab pull 33
- Slip face 146
- Slope 343-385, 431-467

- characteristics 502-529
- Small dome 493-529
- Smooth plains unit 244
- Snegurochka Planitia 111-113, 241, 256-302, 509-529
- Soft ductile plate 101-123
- Solar radiation pressure 563
- Solidified basaltic lava flow 393-405
- Solidus 60-76
- Source vent 244
- Spaceborne radioaltimeter 572-578
- Spall 181
- Spherical harmonics 81-97
- Spike 135
- Spin-change 362
- Spreading center 60, 70-76
 - rate 373-385
 - zone 82-97, 485-490
- Stacking 251-302
- Strewn field 162
- Striation 507-529
- Strike-slip fault 275-302, 423-467, 477-490
- Structure of Venus' interior and seismicity 20
- Subducted crust 59
- Subduction 30, 32-52, 65, 71, 72, 74, 76, 240, 471-490
 - trough 15
 - zone 42, 82-97
- Subparallel ridge and groove terrain 134
- Sudbury 186
- Sulfate 137
- Sulfide 137
- Sulfur content 351, 362
- Summit pit 493-529
 - vent 193-246
- Sun gravity effect 559-578
 - radius vector 563-578
- Supercorona 95, 101-123
- Surface chemistry data 347-385
 - creep 138-152
 - evolution 518-529
 - roughness 431-467, 495-529
- Suspension 138-152
- Suture zone 271-302
- Syenite 13, 75, 332-339
- Symmetrical ridge belt 463-467
- Synphase point 567
- Syrtris Major 211
- Tangential stress 89-97
- Tatyana 534
- Tectonic deformation 251-302
 - evolution 101-123, 251-302
 - junction 305-326, 363
 - lineament 507-529
 - process 150
 - scheme 101-123
 - structure 81-97, 392-405
 - style 471-490
 - volcanic environment 409-419
- Tectonically segmented linear highland 305-326
- Tectonism 127-152, 493-529
- Tefnut Mons 211
- Tellus 47, 108-113, 391-405, 419
 - Regio 42, 48, 311-326, 424-467, 488-490
- Tepev Mons 211, 311-326, 411-419
- Terra 542-557
 - crust 339
- Terrain characteristics 511-529
- Terrane accretion 251, 293-302
- Terrestrial continental crust 31-52
 - oceanic crust 28-52
- Tertiary crust 28-52
- Tessera 8-21, 25-52, 95, 101-123, 193-246, 256-302, 313-326, 339, 393-405, 418, 419, 421-467, 494-529, 542-557
 - block 254-302
 - mountain belt assemblage 391-405
 - paleocontinent 105-123
 - ridge belt assemblage 391-405
 - terrain 47, 64, 127-152, 391-405
- Tethus Regio 42, 47, 88, 93, 97, 221, 399-405, 413-419, 499-529
- Texture 305-326
- Tharsis Plateau 195
- Theia Mons 211, 257-302, 311-326, 349
- Thermal anomaly 393-405, 410-419, 523-529
 - boundary layer 343-385
 - contribution 47
 - flux 522-529
 - gradient 28, 33
 - gravitational sliding 251-302
 - loss 523-529
 - uplift 193-246
- Thetis Regio 25, 34, 47, 49, 88, 93, 97, 114-116, 315-326, 345-385, 493-529
- Tholeiite 74, 66-76, 522-529
 - basalt 14, 15, 59-76, 329-339
- Tholus 542-557
- Thorium 351
- Thrust fault 449-467, 471-490
 - sheet 275-302
- Tonalite 72
- Tonalitic magma 68
- Topographic slope 495-529
- Topography 343-385
- Torus 409-419
- Trachyte 71, 72
- Track 526-529
- Traction 139-152
- Transform fault 343-385, 473-490
- Transversal fault 477-490

- Trap and plateau-basalt of platform 14, 15
- Trending ridge 251–302, 410–419
 - trough 251–302
- Troctolite 338, 339
- Trondhjemite 66, 67, 74
- Trough 95, 394–405, 421–467, 479–490
 - and ridge terrain 285–302
 - mountain belt 464–467
- Truncated ridge 361–385
- Truncated trend 361–385
- Tuff 329–339, 486–490
- Tusholi Corona 411–419
- Tycho 537
- U-Th systematics of planetary and meteorite material 14
- Ulfrun Chasma 363
 - Regio 113–123, 315–326, 394–405, 424–467
- Ultra-hot diapir 76
- Ultramafic rock 14 15
- Underplating 33, 35, 36, 46, 50, 59
- Underthrusting 38, 44, 65, 70, 76, 193–246, 251–302, 400–405, 421–467
- Undivided plain 221–246, 305–326
- Uni Dorsa 509–529
- Unimodal hypsometric curve 49, 51
- Unnamed Dorsa # 2 271–302
- Uorsar Rupes 111–113, 241
- Upland plateau 305–326
 - rise 305–326
- Uplifting 409–419
- Upwelling 239
 - mantle flow 96
- Uranium 351
- Ushas Mons 211, 212
- VAS parameter 559–578
 - radius vector 563–578
- Vedma Dorsa 421–467, 484–490
- Vega 329–339
- Vega 1/2 14
 - Mission 127–152
- Vellamo Planitia 398–405
- Velocity vector component 564
- Veneer 149, 150, 176, 188
- Venera 15/16 8–10, 13–15, 19, 81–97, 114–123
 - radar imagery 3–21
 - lander 57–76, 127–152, 159–172, 175–189, 198–246, 254–302, 305–326, 329–339, 391–405, 409–419, 421–467, 471–490, 493–529, 533–537
 - spacecraft 559–578
- Venilia Montes 409–419, 486–490
- Vent complex 193–246
- Ventifact 147
- Venus crust 31–52
 - geology 3
 - hypsometric curve 40–52
 - Wind Tunnel 139–152
- Venusian atmosphere 10
 - basaltic composition 25–52
 - convection 81–97
 - dome-like uplift 15, 16
 - lithosphere 118–123
 - Moho 81–97
- Vertical crust growth 33–52
 - evolution 395–405
 - formation 395–405
 - recycling 34–52
 - deformation 423–467, 511–529
 - recycling 35–52, 70
 - tectonics 410–419, 518–529
 - uplift 47
- Very bright unit 305–326
 - dark unit 305–326
- Vesiculation 68
- Vesta Rupes 131–152, 193–246
- Viscous relaxation of crater relief 28, 36
- Volcanic aeolian nature 19
 - caldera 199–246
 - center 493–529
 - construct 493–529
 - edific 57–76, 193–246, 395–405
 - flux 35–52
 - resurfacing 39
 - rate 35, 36
 - source vent 395–405
 - tectonic process 19, 20
 - uplift 485–490
- Volcanism 47, 127–152
- Volcano 391–405
- Volume 502–529
- Vredefort 186
- Weakened uplifted planetary belt 101–123
- Weathering 127–152, 207, 208
- Weibull distribution 181, 182
- Western Aphrodite Terra 33, 46, 47, 76, 343–385
 - Fortuna Tessera 44, 251–302
 - Ishtar Terra 25, 42, 44, 49, 76
- Widely-spaced ridge 441–467
- Wind entrainment 127–152
- Wind streak 152
- Windblown particle 137–152
- Wrinkle ridge 423–467, 472–490
- XRF analysis 329–339
- Zero's shear modulus 84–97
- Zlata 222

AUTHOR INDEX

(Volume 50/51)

- | | |
|--|---------------------------|
| Akim, E. L. 559 | Marchenkov, K. I. 81 |
| Arvidson, R. E. 127 | Nikishin, A. M. 81, 101 |
| Aubele, J. C. 493 | Nikolayeva, O. V. 329 |
| Basilevsky, A.T. 3, 409 | Roberts, K. M. 193 |
| Burba, G. A. 541 | Rzhiga, O. N. 533 |
| Crumpler, L. S. 343 | Senske, D. A. 305 |
| Frank, S. L. 421 | Sidorenko, A. I. 533 |
| Garvin, J. B. 175 | Sinilo, V. P. 533 |
| Greeley, R. 127 | Slyuta, E. N. 493 |
| Head, J. W. 25, 57, 193, 251, 391, 421 | Stepan'yants, V. A. 559 |
| Hess, P.C. 57 | Tuchin, A. G. 559 |
| Ivanov, B. A. 159 | Vlasova, Z. P. 559 |
| Ivanov, M. A. 409 | Vorder Bruegge, R. W. 251 |
| Krivtsov, A. P. 533 | Zakharov, A. I. 533 |
| Kryuchkov, V. P. 471 | Zharkov, V. N. 81 |